








SU - 06 V	2	800x2 100		Täisklaas saunauks 8 mm turvaklaas, kirgas Alumiinium lengid Roostevaba metallnupuga Nt. AD aurusaunauks
VU - 01	2	1 800x2 200		Metallraamis klaasuks (Osyris projekti osa) Metallraam ja lengid RAL 7045 Uksed varustada sulguritega Lahendatakse eraldi projektiga
VU - 02	2	2 000x2 100		Välisuks (Osyris projekti osa) Lahendatakse eraldi projektiga
VU - 03	1	1 000x2 100		Välisuks (Osyris projekti osa) Lahendatakse eraldi projektiga
SL - 01	4	1000x1000		Suitsuluuk Kuppelklaas, klaas kolmekordne, kirgas, alusraamisoojustus 100mm, alusraamile lisada katusekattematerjalist krae. Nt. Martop /SD/M3C/10/P100mm
KL - 01	1	1000x1000		Katuseluuk, metallist Metallist luuk, alusraamisoojustus 100mm, alusraamile lisada katusekattematerjalist krae. Nt. Martop /SF/MF

 <div>STAADIONI OLMEHOONE</div>	A.01.15	Uste spetsifikatsioon	1:1
Aadress	Riia 25a		Etapp PP
Tellija	Tartu LV LVO		Töö nr 16/01
Arhitekt	Tõnis Arjus		20.09.2016